



IFed

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventor: Richard R. Coleman (deceased) Examiner: Gartenberg, E.
Serial No.: 10/718,036 Group Art Unit: 3746
Filing Date: 11/20/2003 Attorney Docket No.: COLENG.P01D1
Title of Invention: Coleman Regenerative Engine with Exhaust Gas Water Extraction

Seattle, Washington 98109
August 16, 2004

TO THE COMMISSIONER FOR PATENTS
PO Box 1450
Alexandria, VA 22313-1450

RESPONSE TO ELECTION/RESTRICTION REQUIREMENT

The Examiner has identified for examination on the merits eight species, each identified specie relating respectively to Fig 1, Fig. 2, Fig. 7, Fig. 8, Fig. 9, Fig. 11 and Fig. 12. Applicant hereby elects the specie embodied in Figure 1. All of the claims as filed relate to this specie.

The Examiner has extended a courtesy notice that the word "topology" is not defined in the disclosure, citing a dictionary definition which only includes medical, cartographic and mathematical definitions. Applicant thanks the Examiner for this courtesy, and respectfully traverses this position. The word topology is readily understood by those skilled in the art to refer to the system layout of the component parts of an engine system, much as if we were looking at a map of such a system. As such, Applicant believes that no express definition of the term need be present in the disclosure.

CERTIFICATE OF MAILING (37 CFR 1.8A)

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being deposited with the United States Postal Service on the date shown below with sufficient postage as first class mail in an envelope addressed to the Commissioner of Patents and Trademarks, PO Box 1450, Alexandria, VA 22313-1450.

August 16, 2004

Patrick Dwyer

1-8PCRT.INS

However, to avoid unnecessary delay, Applicant requests and directs that the word --system-- be inserted by Examiner amendment in place of all occurrences of the word "topology" in the claims, asserting that these two words are equivalent in meaning in this context.

Applicant believes it has responded fully to all of the Examiner's concerns. If the Examiner has any further concerns, Applicant urges him to call Applicant's attorney, Patrick Dwyer at (206) 343-7074.

P01D1-ELEC.RSP

Respectfully submitted,

A handwritten signature in black ink, appearing to read 'Patrick Michael Dwyer', with a long horizontal flourish extending to the right.

PATRICK MICHAEL DWYER
Reg. No. 32,411

PATRICK M. DWYER PC
1818 WESTLAKE AVENUE N, SUITE 114
SEATTLE, WA 98109